



LENGTHS (mm)

L1 Wheelbase between axel 1 and 2	4 190
L2 Wheelbase between axel 2 and 3	1 370
L5 Front overhang	2 075
L7 Rear chassis overhang	1 200
L11 Total length	8 835

L13 Distance between front axle and superstructure
1 900

WIDTHS (mm)

B1 Cabin width
2 300

B2 Width over rear wheels
2 480

B3 Overall width
2 550

B4 Width of chassis frame front
942

B5 Width of chassis frame rear
766

B6 Min. turning circle diameter (m)
21,00

HEIGHTS (mm)

H1 Total height over cabin, unloaded
2 700

H2 Total height over cabin, loaded
2 660

H3 Chassis height, unloaded
1 185

H4 Chassis height, loaded
1 145

H11 Ground clearance, front
380

H12 Ground clearance, rear
380

H13 Ground clearance between axles
640

WEIGHTS (kg)

G1 Permissible weight on axle 1
7 500

G2 Permissible weight on axle 2
10 000

G3 Permissible weight on axle 3
10 000

G5 Total permissible weight
22 000

G6 Chassis truck net weight *

G9 Chassis truck carrying capacity 10 500

- passengers with equipment (5) 500

- in mass center 11 000

G12 Towing weight road / cross-country
10 000 / 7 000

*weight with driver and equipment (100kg)

PERFORMANCES

Maximum kinematic speed (km/h) 90

Maximum climbing ability (%)

- solo 57

- with trailer 46