



**LENGTHS (mm)**

L1 Wheelbase between axle 1 and 2	4 190
L2 Wheelbase between axle 2 and 3	1 370
L5 Front overhang	2 075
L7 Rear chassis overhang	300
L11 Total length	8 235
L13 Distance between front axle and superstructure	1 900

**WIDTHS (mm)**

B1 Cabin width	2 300
B2 Width over rear wheels	2 480
B3 Overall width	2 550
B4 Width of chassis frame front	

B5 Width of chassis frame rear 942

B6 Min. turning circle diameter (m) 766

21,00

### HEIGHTS (mm)

H1 Total height over cabin, unloaded 2 700

H2 Total height over cabin, loaded 2 660

H3 Chassis height, unloaded 1 185

H4 Chassis height, loaded 1 145

H11 Ground clearance, front 380

H12 Ground clearance, rear 380

H13 Ground clearance between axles 640

### WEIGHTS (kg)

G1 Permissible weight on axle 1 7 500

G2 Permissible weight on axle 2 10 000

G3 Permissible weight on axle 3 10 000

G5 Total permissible weight 26 000

G6 Chassis truck net weight \* 11 500

G9 Chassis truck carrying capacity

- passengers with equipment (5) 500

- in mass center 14 000

\*weight with driver and equipment (100kg)

### PERFORMANCES

Maximum kinematic speed (km/h)	90
Maximum climbing ability (%)	46